

FORM TP 2010227



TEST CODE **02134020**

MAY/JUNE 2010

CARIBBEAN EXAMINATIONS COUNCIL
ADVANCED PROFICIENCY EXAMINATION

PURE MATHEMATICS

UNIT 1 – PAPER 02

ALGEBRA, GEOMETRY AND CALCULUS

2 ½ hours

20 MAY 2010 (p.m.)

This examination paper consists of **THREE** sections: Module 1, Module 2 and Module 3.

Each section consists of 2 questions.

The maximum mark for each Module is 50.

The maximum mark for this examination is 150.

This examination consists of 7 printed pages.

INSTRUCTIONS TO CANDIDATES

1. **DO NOT** open this examination paper until instructed to do so.
2. Answer **ALL** questions from the **THREE** sections.
3. Write your solutions, with full working, in the answer booklet provided.
4. Unless otherwise stated in the question, any numerical answer that is not exact **MUST** be written correct to three significant figures.

Examination Materials Permitted

Graph paper (provided)

Mathematical formulae and tables (provided) – **Revised 2009**

Mathematical instruments

Silent, non-programmable, electronic calculator

SECTION A (Module 1)

Answer BOTH questions.

1. (a) Find the values of the constant p such that $x - p$ is a factor of

$$f(x) = 4x^3 - (3p + 2)x^2 - (p^2 - 1)x + 3.$$

[5 marks]

- (b) Solve, for x and y , the simultaneous equations

$$\log(x - 1) + 2 \log y = 2 \log 3$$

$$\log x + \log y = \log 6.$$

[8 marks]

- (c) Solve, for $x \in \mathbf{R}$, the inequality

$$\frac{2x - 3}{x + 1} - 5 > 0.$$

[5 marks]

- (d) By using $y = 2^x$, or otherwise, solve

$$4^x - 3(2^{x+1}) + 8 = 0.$$

[7 marks]

Total 25 marks

INSTRUCTIONS TO CANDIDATES

1. DO NOT open this examination paper until instructed to do so.
2. Answer ALL questions from the THREE sections.
3. Write your solutions, with full working, in the answer booklet provided.
4. Unless otherwise stated in the question, any numerical answer that is not exact MUST be written correct to three significant figures.

Examination Materials Permitted

Graph paper (provided)
Mathematical formulae and tables (provided) – Revised 2009
Mathematical instruments
Silent, non-programmable, electronic calculator

2. (a) (i) Use the fact that $S_n = \sum_{r=1}^n r = \frac{1}{2} n(n+1)$ to express

$S_{2n} = \sum_{r=1}^{2n} r$ in terms of n . [2 marks]


(ii) Find constants p and q such that

$S_{2n} - S_n = pn^2 + qn$. [5 marks]

(iii) Hence, or otherwise, find n such that

$S_{2n} - S_n = 260$. [5 marks]

(b) The diagram below (not drawn to scale) shows the graph of $y = x^2(3-x)$. The coordinates of points P and Q are $(2, 4)$ and $(3, 0)$ respectively.



(i) Write down the solution set of the inequality $x^2(3-x) \leq 0$. [4 marks]

(ii) Given that the equation $x^2(3-x) = k$ has three real solutions for x , write down the set of possible values for k . [3 marks]

(iii) The functions f and g are defined as follows:

$f: x \rightarrow x^2(3-x), 0 < x < 2$
 $g: x \rightarrow x^2(3-x), 0 < x < 3$

By using (b) (ii) above, or otherwise, show that

- a) f has an inverse
- b) g does NOT have an inverse. [6 marks]

Total 25 marks

SECTION B (Module 2)

Answer BOTH questions.

3. (a) The vectors \mathbf{p} and \mathbf{q} are given by

$$\mathbf{p} = 6\mathbf{i} + 4\mathbf{j}$$
$$\mathbf{q} = -8\mathbf{i} - 9\mathbf{j}.$$

(i) Calculate, in degrees, the angle between \mathbf{p} and \mathbf{q} . **[5 marks]**

(ii) a) Find a non-zero vector \mathbf{v} such that $\mathbf{p} \cdot \mathbf{v} = 0$.

b) State the relationship between \mathbf{p} and \mathbf{v} . **[5 marks]**

(b) The circle C_1 has $(-3, 4)$ and $(1, 2)$ as endpoints of a diameter.


(i) Show that the equation of C_1 is $x^2 + y^2 + 2x - 6y + 5 = 0$. **[6 marks]**

(ii) The circle C_2 has equation $x^2 + y^2 + x - 5y = 0$. Calculate the coordinates of the points of intersection of C_1 and C_2 . **[9 marks]**

Total 25 marks

4. (a) (i) Solve the equation $\cos 3A = 0.5$ for $0 \leq A \leq \pi$. [4 marks]
- (ii) Show that $\cos 3A = 4 \cos^3 A - 3 \cos A$. [6 marks]
- (iii) The THREE roots of the equation $4p^3 - 3p - 0.5 = 0$ all lie between -1 and 1 . Use the results in (a) (i) and (ii) to find these roots. [4 marks]

(b) The following diagram, **not drawn to scale**, represents a painting of height, h metres, that is fastened to a vertical wall at a height of d metres above, and x metres away from, the level of an observer, O .



The viewing angle of the painting is $(\alpha - \beta)$, where α and β are respectively the angles of inclination, in radians, from the level of the observer to the top and base of the painting.

(i) Show that $\tan(\alpha - \beta) = \frac{hx}{x^2 + d(d+h)}$. [6 marks]

(ii) The viewing angle of the painting, $(\alpha - \beta)$, is at a maximum when $x = \sqrt{h(d+h)}$. Calculate the maximum viewing angle, in radians, when $d = 3h$. [5 marks]

Total 25 marks

SECTION C (Module 3)

Answer BOTH questions.

5. (a) Find

(i) $\lim_{x \rightarrow 3} \frac{x^2 - 9}{x^3 - 27}$ [4 marks]

(ii) $\lim_{x \rightarrow 0} \frac{\tan x - 5x}{\sin 2x - 4x}$ [5 marks]

(b) The function f on \mathbf{R} is defined by

$$f(x) = \begin{cases} 3x - 7, & \text{if } x > 4 \\ 1 + 2x, & \text{if } x \leq 4. \end{cases}$$

(i) Find

a) $\lim_{x \rightarrow 4^+} f(x)$ [2 marks]

b) $\lim_{x \rightarrow 4^-} f(x)$ [2 marks]

(ii) Deduce that $f(x)$ is discontinuous at $x = 4$. [2 marks]

(c) (i) Evaluate $\int_{-1}^1 \left[x - \frac{1}{x} \right]^2 dx$. [6 marks]

(ii) Using the substitution $u = x^2 + 4$, or otherwise, find

$$\int x \sqrt{x^2 + 4} dx. \quad [4 marks]$$

Total 25 marks

$$(x^2 - 9)(x + 3)$$

$$x^3 - 7x^2 + 3x^2 - 9x - 21$$

$$x^3 - 3x^2 - 9x - 27$$

$$(x-3)(x^2+3x+9)$$
$$x^3 + 3x^2 + 9x - 3x^2 - 9x - 27$$

6. (a) Differentiate with respect to x

(i) $y = \sin(3x + 2) + \tan 5x$

[3 marks]

(ii) $y = \frac{x^2 + 1}{x^3 - 1}$

[4 marks]

(b) The function $f(x)$ satisfies $\int_1^4 f(x) dx = 7$.


(i) Find $\int_1^4 [3f(x) + 4] dx$.

[4 marks]

(ii) Using the substitution $u = x + 1$, evaluate $\int_0^3 2f(x + 1) dx$.

[4 marks]

(c) In the diagram below (not drawn to scale), the line $x + y = 2$ intersects the curve $y = x^2$ at the points P and Q .



(i) Find the coordinates of the points P and Q .

[5 marks]

(ii) Calculate the area of the shaded portion of the diagram bounded by the curve and the straight line.

[5 marks]

Total 25 marks

END OF TEST